

## **Prelim Bits 12-05-2018**

## Tiny fossil shells- clue to ancient climate

 $n\n$ 

\n

- Scientists have discovered tiny fossil shells that unveil details about the Earth's climate over half a billion years ago.
- The hard-bodied fossils that the scientists used in their study belong to animal groups which were the first organisms to produce shells.
- The research suggests that early animals diversified within a climate similar to that in which the dinosaurs lived.
- The time interval to which this fossil belongs is known for the 'Cambrian explosion'.
- $\bullet$  It is the time during which representatives of most of the major animal groups first appear in the fossil record.  $\mbox{\sc h}$
- $\bullet$  Analyses of the oxygen isotopes of these fossils suggested very warm temperatures for high latitude seas. \n

 $n\n$ 

## **Carbon Monitoring System and Oribiting Carbon Monitoring 3 (OCO-3)**

 $n\n$ 

۱n

- A NASA program that cost \$10 million per year to track carbon and methane, key greenhouse gases that contribute to global warming, has been cancelled.
- The Carbon Monitoring System (CMS) tracked sources and sinks for carbon and made high-resolution models of the planet's flows of carbon.

• The Orbiting Carbon Observatory 3, or OCO-3, is a space instrument designed to investigate important questions about the distribution of carbon dioxide on Earth.

\n

• OCO -3 is climate mission by NASA.

 $n\n$ 

#### **Rare Butterflies**

 $n\n$ 

۱n

- The black windmill butterfly (Byasa crassipes) was spotted in Arunachal Pradesh's Dibang Valley in the Lower Dibang Valley district.
- $\bullet$  A scarce siren butterfly (Hestia nicevillei) was spotted in the Daranghati Wildlife Sanctuary in Himachal Pradesh in 2012.  $\$
- Both butterfly species are listed under Schedule I of India's Wildlife Protection Act (1972).

۱n

- This ensures the insects the same protection as that given to tigers.
- $\bullet$  Collecting of butterflies for sale as dead specimens is a big threat in the Himalayas and north-east India,  $\ensuremath{^{\backslash n}}$
- So the precise location of the black windmill is being withheld until the local police and forest departments have some safety measures in place to protect the insect from butterfly collectors.

 $n\n$ 

## **Daranghati Wildlife Sanctuary**

 $n\n$ 

\n

• The Sanctuary is located near Rampur Bushahr, in Shimla District, Himachal Pradesh.

\n

- It was an erstwhile hunting reserve of the Rampur Bushahr royal family.
- The Sanctuary receives good amount of Snowfall in winters.
- Himalayan Black Bear, Brown Bear, Himalayan Palm Civet, Barking Deer,

Musk Deer, Flying Fox, Goral, Indian Hare, Serow, Blue Sheep and Himalayan Weasel are the fauna.

 $n\n$ 

## **Research and Information System for Developing Countries (RIS)**

 $n\n$ 

\n

- $\bullet$  (RIS) is a New Delhi-based autonomous policy research institute that specializes in issues relating to international economic development  $\ensuremath{^{\backslash}} n$
- Its special focus is on trade, investment and technology.
- RIS is envisioned as a forum for fostering effective policy dialogue and capacity-building among developing countries on global and regional economic issues.

\n

• The focus of the work program of RIS is to promote South-South Cooperation (SSC) and collaborate with developing countries in multilateral negotiations in various fora.

\n

 $\bullet$  RIS seeks to enhance policy coherence on international economic issues and the development partnership canvas.  $\mbox{\sc h}$ 

 $n\n$ 

# Nanofertilizers to boost zinc uptake

 $n\n$ 

\n

- Researchers showed that by using nanofertilizers in right doses nutritional quality of wheat can be enhanced by increasing its zinc content.
- Micronutrient deficiency is a major challenge in India.
- $\bullet$  Majority of Indian soils are zinc deficient and soil zinc application is highly recommended along with application of NPK fertilizer. \n
- The increased zinc content in the grain improved its protein content and other micronutrients like iron and manganese.
- Agronomic fortification of food grains could be used to compensate micronutrient levels in grains.

\n

 $\bullet$  However it leads to nutrient wastage as well as environmental pollution resulting from excessive use of minerals and fertilizers. \n

 $n\n$ 

Source: PIB, The Hindu

 $n\n$ 

 $n\n$ 

\n

