

# Addressing the Concerns of C&D Wastes - II

Click <u>here</u> for Part - I

\n\n

## What is the issue?

\n\n

∖n

• India has growing menace of construction and demolition (C&D) waste in Indian cities.

\n

- A proactive effort from municipalities and citizens towards recycling of C&D waste will go a long way in curbing pollution.  $\n$ 

\n\n

## What are the harmful effects of C&D wastes?

\n\n

∖n

- The C&D waste include bricks, concrete, stones, hard-core subsoil, topsoil, timber, glass, gypsum, ceramics and also plastics.  $\n$
- C&D waste increases particulate matter in the air and leads to air pollution, and when compared with municipal solid waste it causes more traffic congestion and also pollution from dust.  $\n$
- When water gets trapped in the C&D debris it becomes a breeding ground for mosquitoes and no amount of spraying can reach the hidden pockets of water.

∖n

• Dumping C&D waste in lakes for encroachment, a common practice in large cities, also results in loss of wetlands which are necessary for water purification.

\n

\n\n

## What are the concerns with C&D waste regulation in India?

\n\n

- \n
- In India construction of roads, bridges, flyovers, factories, commercial complexes are happening at a rapid phase.
  - \n
- There is no sufficient heed to the construction and demolition (C&D) waste generated during construction.

\n\n

∖n

- C&D Waste Management Rules were notified by the Ministry of Environment, Forests and Climate Change in March 2016.  $\n$
- But this rules are yet to be implemented due to the lack of co-ordination between municipal corporations, municipalities and other urban local bodies.

\n

\n\n

## What measures are needed to address the issues?

#### \n\n

\n

- Awareness Waste generators must be made aware of the nature of the hazard posed by C&D waste.
  \n
- Citizens must also be made aware of the harmful effects of C&D waste which makes the cities vulnerable to floods.
  - Deconstruction Manual demolition by hammer and pickaxe enables recovery and reuse of building materials.
    \n
  - By contrast, mechanised demolition through wrecking balls generates more C&D waste, and makes the waste management much more difficult.  $\n$
  - Thus deconstruction of buildings enables a much larger recovery of unmixed materials for reuse than mechanical demolition.

∖n

- Community Cooperation A proactive effort on the part of the municipalities with community co-operation is called for to keep C&D waste off the roads, pavements and vacant sites and encourage its transport to recycling units.
- Responsibility of Owners Vacant site owners are often untraceable in the records, and owners, titles and boundaries are typically unclear.  $\n$
- Debris dumping is often accepted, if not welcomed, by owners to prevent encroachment.

∖n

- Municipalities must also remove unauthorised dumpsites on vacant land public or private while recovering the cost of transporting the waste to the recycling plants through a penalty from the owner.  $\n$
- Integrated Mechanism Backward and forward linkages need to be forged with all recycling plants so that C&D waste reaches the recycling plants and there is an effective demand for the output from these plants.  $\n$
- Government construction works can set an example by using the recycled products as prescribed in C&D Waste Management Rules (2016).  $\n$
- Regulatory Policy It is important to set standards and have quality certification for the recycled materials.  $\n$
- Such measure will encourage more builders to use C&D waste materials and contribute to the cause of sustainable urban development.  $\n$

\n\n

\n\n

#### **Source: Indian Express**

∖n





A Shankar IAS Academy Initiative