

# **Covid-19 - Importance of Testing**

### What is the issue?

As the world is faced with the challenge of Covid-19, here is a look at the role of 'silent spreaders' and the importance of testing in tackling the pandemic.

## Who are the silent spreaders?

- Silent spreaders are people who spread the disease unknowingly or to avoid the social stigma.
- The silent spreaders include asymptomatic, pre-symptomatic and undocumented symptomatic cases.
- **Asymptomatic cases:** These are people who carry the active virus in their body, but never develop any symptoms.
- They, however, shed virus and can infect others.
- Studies show that as many as one in four people infected with Covid-19 could be asymptomatic.
- **Pre-symptomatic cases**: These include those who are incubating the virus and would show symptoms only after a few days or even weeks.
- They also transmit the virus to others.
- **Undocumented symptomatic cases**: These cover people who have mild symptoms, but did not get tested.
- The reasons may be lack of access to testing or the stigma attached to the disease.
- They have a very high potential to spread the disease.

## What is the current level of testing in India?

- Presently, the Covid-19 positive cases as reported in India are relatively low.
- However, this is said to be much due to the low level of testing.
- Getting a test for Covid-19 is still an arduous task for common people in India.
- The data on the number of tests reveal that India is just focusing on symptomatic cases as the Indian Council of Medical Research (ICMR) guidelines recommend so.

- Other than that, only asymptomatic family members of infected people, and asymptomatic healthcare workers are being tested.
- Certainly, the prescribed regime leaves a large number of potential cases untested.
- Also, with a stigma now attached to this disease, people are even less forthcoming to get tested.

#### What are the shortfalls?

- For a long time, ICMR only recommended *RT-PCR method* for testing individuals. Click here to know more on the testing methods.
- RT-PCR, while accurate, takes a lot of time in testing and limits the capability in doing large-scale tests.
- Only 20,000-25,000 tests are done in a day, which is a minuscule, compared to what is required.
- Private labs were allowed to test only 7 weeks after the first case was detected in India.
- So, a large pool of resources at our disposal was not used for quite some time.
- The ICMR issued guidelines for the rapid antibody blood test only 9 weeks after the first reported case.
- The Kerala government's plans for rapid testing got ICMR approval much later than the proposal was made.
- It was after full 10 weeks since the first confirmed case that ICMR issued an advisory on pooled testing using RT-PCR.
- Even this advisory limits the number of samples to five and only for areas where the prevalence rate is low.
- For comparison, Israel has allowed pooled testing of as many as 64 samples using the standard PCR testing procedure.
- Clearly, ICMR advisories, therefore, are at least a month behind global developments.
- While the desire for accuracy is understandable, there has to be a balance between accuracy and speed, where India seems to be missing out.

### What is to be done?

- There is an urgent need for massively <u>enhancing rapid tests</u> and <u>pooled tests</u> to increase the number of tests, and bring some balance in the testing strategy.
- India should fully utilise all the testing capabilities in the country.
- There are at least 600 colleges in the country that are handling biotechnology courses and which would have a PCR, if not RT-PCR.
- Besides, there is a large number of RT-PCR/PCR with private research

centres.

- These colleges and research centres should be involved in testing.
- More importantly, there is a need for starting <u>large-scale community testing</u> in India.
- In this regard, pooled tests can be done and mobile centres can be used to collect samples.
- Though hotspots can be prioritised, community testing should not be restricted to only hotspots.
- These measures can go a long way in capturing undocumented cases and halting the spread of this virulent disease.

**Source: Financial Express** 

