



Dual Nutrition Burden in India

What is the issue?

\n\n

India is witnessing the emerging menace of over-nutrition along with the existing concern of high under-nutrition.

\n\n

How is under-nutrition in India?

\n\n

- \n
- Global Nutrition Report ranks India low in stunting among children aged less than five and in under-5 wasting.
\n
- **Micronutrient deficiency** - The burden of vitamin and mineral deficiencies, called 'hidden hunger', is also considerable.
\n
- This is because a vast majority of Indians eat cereal-based food, mainly wheat and rice.
\n
- There is an insufficient intake of food such as milk, pulses, and fruits and vegetables, which are rich sources of micronutrients.
\n
- **Effects** - Women and children are the most vulnerable to micronutrient deficiencies and consequently have adverse health affects.
\n
- Deficiency of iron in women causes reduced physical work capacity, fatigue, etc.
\n
- Notably it could also lead to depression and post-partum maternal haemorrhage.
\n
- In the case of children, the impact is felt with impairment in growth and cognitive development.

\n

- **Response** - In the last few decades, India has made efforts at improving the food and nutrition security of its population.

\n

- This was done with strides in technology, irrigation practices, extension services, and progressive agricultural policies.

\n

- Also, in the 1990s, deficiencies of micronutrients such as zinc, folic acid, magnesium, selenium and vitamin D received more attention.

\n

- However, despite an overall decrease in cases, the level of under-nutrition still remains high in comparison with world nations.

\n

\n\n

What is the emerging concern?

\n\n

\n

- The recent findings of the National Family Health Survey-4 (2015-16) bring out the emerging scenario of over-nutrition in India.

\n

- With Body Mass Index (BMI) as the measure, the survey identifies-

\n

\n\n

\n

- i. around 15% of urban women to be underweight and around 30% of to be overweight or obese

\n

- ii. around 15% of urban men in the underweight category and a 26% in the overweight and obese category

\n

\n\n

What has led to this?

\n\n

\n

- Lifestyle and dietary patterns have undergone dramatic changes, especially among urban sections, in the recent decades.

\n

- This has contributed to reduction in physical activity and an increasing prevalence of non-communicable diseases.

- \n
- Over-nutrition is traced to be the cause for these diseases due to the imbalance between intake and activity.
- \n
- Resultantly, over-nutrition is emerging as a concern among the urban affluent segments.
- \n

\n\n

What lies ahead?

\n\n

- \n
- India is evidently witnessing a dual nutrition burden.
- \n
- The burden of under-nutrition among the poorer sections and that of over-nutrition among the urban well-to-do sections.
- \n
- Promotion of appropriate lifestyles and dietary intakes for the prevention and management of over-nutrition and obesity is necessary.
- \n
- On the other hand, to ensure food and nutrition security, there is a growing need for a multisectoral approach.
- \n
- The policies and programmes of various ministries should be converged for better results in agricultural practices as well as in food styles.
- \n

\n\n

\n\n

Source: The Hindu

\n\n

\n\n

\n



IAS PARLIAMENT

Information is Empowering

A Shankar IAS Academy Initiative