



## Malnutrition Crisis in India

### Why in news?

\n\n

According to official reports Maharashtra has high level of malnutrition among children in the tribal belts.

\n\n

### What is the malnutrition crisis in Maharashtra?

\n\n

\n

- According to NFHS 2015-16, every second tribal child suffers from growth restricting malnutrition due to chronic hunger.

\n

- India's malnutrition crisis is worse than in some of the world's poorest countries Bangladesh, Afghanistan and Mozambique.

\n

- This level of poor nutrition security disproportionately affects the poorest segment of the population.

\n

- In 2005, child malnutrition claimed as many as 718 lives in Maharashtra's Palghar district alone.

\n

- Even after a decade of double digit economic growth (2004-05 to 2014-15), Palghar's malnutrition status has barely improved.

\n

- Due to this National Human Rights Commission issued notice to the Maharashtra government over reports of 600 children dying due to malnutrition in Palghar,

\n

\n\n

### How the stunting status has been calculated?

\n\n

\n

- Stunting is caused by an insufficient intake of macro- and micro-nutrients.
- It is generally accepted that recovery from growth retardation after two years is only possible if the affected child is put on a diet that is adequate in nutrient requirements.
- A critical aspect of nutrient adequacy is diet diversity, calculated by different groupings of foods consumed with the reference period ranging from one to 15 days.
- The eight food groups include - cereals, roots and tubers, legumes and nuts, dairy products, flesh foods, eggs, fish, dark green leafy vegetables, and other fruits and vegetables.

\n

\n\n

### **What are the concerns with diet pattern in tribal areas?**

\n\n

\n

- In most households it was rice and dal which was cooked most often and eaten thrice a day and these were even served at teatime to the children if they felt hungry.
- There was no milk, milk product or fruit in their daily diets, Even the adults drank black tea as milk was unaffordable.
- Only 17% of the children achieved a minimum level of diet diversity they received four or more of the eight food groups.
- This low dietary diversity is a proxy indicator for the household's food security too as the children ate the same food cooked for adult members.
- Such acute food insecurity in tribal households is due to a loss of their traditional dependence on forest livelihood and the State's deepening agrarian crisis.

\n

\n\n

### **What measures needs to be taken?**

\n\n

\n

- Systemic issues and a weakening of public nutrition programmes have aggravated malnutrition problem in India.
- Analysis of the various State's Budget also shows that the nutrition expenditure as a percentage of the State Budget has drastically declined.
- It is time the government looks at the root cause of the issue and finds a sustainable solution for tackling malnutrition.
- Employment opportunities for the marginalised which would improve their purchasing power and, in turn, reduce malnutrition
- Respective governments need to properly implement schemes like Integrated Child Development Services to check malnutrition.

\n

\n\n

\n\n

**Source: The Hindu**

\n



**IAS PARLIAMENT**  
*Information is Empowering*  
A Shankar IAS Academy Initiative