

# **Micro-plastics in Bottled Waters**

#### Why in news?

\n\n

A new research has shown the presence of micro-plastic particles in bottled drinking waters.

\n\n

## What are the findings?


\n\n

\n

- Bottled waters are found to be contaminated with plastic including polypropylene, nylon, and polyethylene terephthalate (PET).  $\n$
- A single bottle could hold dozens or possibly even thousands of microscopic plastic particles.
  - ∖n
- The study finds a global average of 10.4 plastic particles per litre, in the 100 micron or 0.10 millimetre size range.
- The tests also showed a much greater number of even smaller particles which are also likely plastic.  $\n$
- The global average for these smaller particles is around 300 per litre.  $\slash n$
- Water in glass bottles is also found to hold micro-plastics.  $\space{1mm}\$

\n\n

# Types of plastic found in bottled water



\n\n

#### Why is the study so significant?

\n\n

\n

- Bottled water is marketed as the very essence of purity.  $\slashn$
- It is in fact the fastest-growing beverage market in the world. h
- Bottled water output will soon hit 300 billion litres a year.  $\n$
- Packaged water is a lifeline for many people worldwide who have no other option for safe drinking water.
- Notably, some 4,000 children die every day from water-borne diseases.  $\n$

\n\n

#### What is the concern with micro-plastics?

\n\n

∖n

• **Sources** - Micro-plastics are particles that are smaller than 5 millimetres in size.

∖n

• They enter the environment as primary industrial products, such as those

used in scrubbers and cosmetics.

∖n

- It could also enter via urban waste water and broken-down elements of articles discarded by consumers.  $\gamma_n$
- Washing of clothes too releases synthetic microfibres into water bodies and the sea.

∖n

• **Presence** - Micro-plastics escape the filtration and treatment processes for waste water, and end up in sites of nature.

∖n

• The durable properties of plastics make them persistent and slow to degrade in the environment.

∖n

• Evidently, various studies have found micro-plastics in the oceans, soil, air, lakes, and rivers.

∖n

- It thus enters the food chains of even birds, animals and fishes.  $\ensuremath{\sc vn}$
- This results in significant global impacts on wildlife, from marine environment pollution.

\n

\n\n

## Is this a human health concern?

\n\n

\n

• Micro-plastics hold the potential for both bioaccumulation and biomagnification.

\n

• It may thus finally end up in the human body.

\n

• But based on current limited knowledge on the effects, there is little human health concern.

∖n

• This is because the human body is well-adapted to dealing with nondigestible particles.

\n

- As much as 90% of micro-plastic that is consumed might be excreted.  $\space{\space{1.5}n}$
- Of the other 10%, some plastic under 150 microns (0.15 millimetres) could enter the gut's lymphatic system.

∖n

- It may pass from the bloodstream to the kidneys or liver.  $\slash n$
- Notably, the recent bottled water study finds plastics within this range.  $\space{\space{1.5}n}$
- But how plastic behaves in the gut is still based on assumptions from scientific models and not from proper studies.  $\n$
- Also, the knowledge on the various chemicals present in plastics is limited.  $\space{\space{1.5}$
- So the health impact may not yet be clear, but indisputably these are contaminants.

∖n

- Research evidence from complementary fields indicates that accumulation of these chemicals can induce or aggravate immune responses in the body.  $\n$ 

\n\n

# What does it call for?

\n\n

\n

- Awareness Micro-plastic is not directly regulated in bottled water.  $\slash n$
- But legislations make it clear that there must be no contaminants.  $\space{\space{1.5}n}$
- It is the government's responsibility to educate people to know what they are drinking and eating.

∖n

• **Studies** - The WHO has come forward to commission a review of the health impact of plastics in water.

\n

- More such studies, as a globally coordinated effort, are necessary to assess the impact of plastics on health. n
- India India has a major problem dealing with plastics, particularly singleuse shopping bags.

\n

- These reach dumping sites, rivers and wetlands along with other waste.  $\slash n$
- The most efficient way is to control the production and distribution of plastics.  $\gamma_n$
- Banning single-use bags and making consumers pay a significant amount for the more durable ones is a feasible solution.

∖n

- Enforcing Solid Waste Management Rules, 2016, requiring segregation of waste materials, will reduce the burden on the environment.  $\n$
- Waste separation can be done in partnership with the community, and it presents a major employment opportunity as well.  $\n$
- The very nature of plastics has to be changed from being cheap and disposable to durable, reusable and fully recyclable.  $\n$

\n\n

\n\n

#### Source: The Hindu

\n\n

## **Quick Fact**

\n\n

#### **Bioaccumulation**

\n\n

∖n

- Bioaccumulation is the accumulation of substances or chemicals in an organism, and toxins building up in a food chain.
  \n
- It occurs when an organism absorbs a substance at a rate faster than that at which it is lost by catabolism and excretion.

\n\n

# **Biomagnification**

\n\n

∖n

- Biomagnification is the increasing concentration of a toxic substance at successively higher trophic levels in a food chain.  $\n$ 

\n





A Shankar IAS Academy Initiative