



## New Technology for Namami Gange

### What is the issue?

\n\n

\n

- The high cost of refining units slows down the progress of Namami Gange project with continued inflow of untreated wastewater.
- A new technology by the Water Technology Centre (WTC) of the Indian Agricultural Research Institute needs consideration for adoption.

\n

\n\n

### What is the new WTC technology?

\n\n

\n

- It is a novel biological water purification technique that uses plants and micro-organisms to sequester impurities and decontaminate wastewater.
- The perennial plant used in this system is *Typha latifolia* which naturally absorbs pollutants.
- The plant boosts oxygen content of the watery medium around its roots to cleanse the dirty water.
- Besides, it also encourages proliferation of water decontaminating micro-organisms.
- And thus averts the need for using chemicals and aerators to improve water quality as is usually done in the conventional methods.

\n

\n\n

### What are the relative advantages?

\n\n

\n

- **Effective** - The system requires no chemicals, no energy, no skilled manpower and no inputs, barring seeding the plants.

\n

- It removes even the metallic residues to the extent of 80 to 99%, something that the conventional methods are unable to do.

\n

- **Economic** - The cost of refining the untreated sewage released into the Ganga would come down roughly by 8 times as against the conventional methods.

\n

- It also generates revenue to make sewage treatment a profitable activity.

\n

- The economic returns from the treatment plants can be enhanced further by incorporating fisheries into these ventures.

\n

- Notably, planktons and zooplanktons, which serve as nutritious feed for fish, thrive well in the water ponds of these units.

\n

- The fish output of such integrated sewage treatment enterprises is relatively high and of good quality, being free of toxic residues.

\n

- Also, these units can be transformed into environment-friendly eco-parks, boosting tourism by attracting migratory birds.

\n

- **Biomass** - Instead of producing sludge, the Typha-based treatment units produce biomass.

\n

- This can further be converted into good quality particle boards or energy briquettes and pellets for use as clean fuel.

\n

- The upper parts of Typha can be cut every 4 months or so for this purpose and the plant regenerates again.

\n

- **Land** - The land requirement for setting up the WTC treatment units is comparatively far meagre than conventional plants.

\n

- **Odour** - Unlike the normal sewage treatment plants, the WTC treatment units do not emit any unpleasant odour.

\n

- This is because the decontamination process occurs under the soil surface without the use of chemicals which generate smelly gases.

\n

\n\n

\n\n

**Source: Business Standard**

\n



**IAS PARLIAMENT**

*Information is Empowering*

A Shankar IAS Academy Initiative