



## Relation of Air Pollution with Diabetes

### Why in news?

\n\n

According to recent research proportion of pollution-linked diabetes is high in India.

\n\n

### What is the research findings about air pollution?

\n\n

- \n
  - Particulate matter that exists as fine dust in the air can lead to an increased risk of diabetes, particularly in low-income countries such as India.
- \n
  - Analysis of the burden of pollution-linked diabetes (in the journal, Lancet Planetary Health ) estimates that in 2016, air pollution resulted in as many as 3.2 million new cases of diabetes.
- \n
  - This is 14% of all new diabetes cases for that year, and India's share was 20% of new cases.
- \n
  - Annually, the researchers estimated that pollution-linked diabetes caused more than 2 lakh deaths in 2016.

\n\n

### What are the concerns for India?

\n\n

- \n
  - India tops the list in terms of 'Disability-Adjusted Life Years', which measures years of healthy life lost due to pollution-linked diabetes.

- \n
- Researchers estimate that nearly 8.2 million years of healthy life were lost globally in 2016, and India lost 1.625 million healthy years.
- \n
- The global PM2.5 average was 42.3 micrograms per c3, in India, it was 72.6 per m3.
- \n
- The study finds that a modest reduction in PM2.5 levels may lead to a reduction in diabetes cases in India.
- \n
- This level is considered “safe” by Indian standards which sets a limit of 40 micrograms per m3) and is far below what is experienced in cities.
- \n
- In Delhi, for instance, PM2.5 can touch nearly 100 micrograms per m3.
- \n

\n\n

### **How air pollution contributes diabetes?**

\n\n

- \n
- Researchers undertook a global estimate extrapolating national annual PM2.5 exposure estimates and using data points from the Global Burden of Disease study.
- \n
- The risk of incident diabetes increased with rising concentrations of PM2.5 (fine dust less than 2.5 microns in diameter).
- \n
- Studies have shown that this fine dust enters the bloodstream through the lungs, reducing insulin production and triggering inflammation.
- \n
- This factor adds to the diabetes burden which affects more than 420 million people globally.
- \n
- Even though previous studies had shown a significant impact of air pollution on diabetes, the burden of the disease had yet to be quantified.
- \n

\n\n

\n\n

**Source: The Hindu**

\n



# IAS PARLIAMENT

*Information is Empowering*

A Shankar IAS Academy Initiative