



Role of Ponds in Global Warming

Why in news?

\n\n

A study has found that due to the seven years of higher-than-ambient temperatures, the ability of a pond to absorb carbon dioxide reduced by 50% but the release of methane nearly doubled.

\n\n

What is the Greenhouse Effect?

\n\n

\n

- The GHGs are transparent to incoming solar radiation, but are opaque to some wavelengths of heat radiated from the Earth.

\n

- So they trap heat, which leads eventually to a warming of the lower atmosphere. This is called Greenhouse effect.

\n

- The main source of man-made carbon pollution is the burning of fossil fuels, accounting for more than 70% of global greenhouse gas emissions.

\n

- The rest comes from deforestation, the livestock industry, and agriculture.

\n

- For each greenhouse gas, a Global Warming Potential (GWP) has been calculated to reflect how long it remains in the atmosphere and how strongly it absorbs energy.

\n

- Gases with a higher GWP absorb more energy, per pound, than gases with a lower GWP, and thus contribute more to warming Earth.

\n

\n\n

Greenhouse gas	Average lifetime in the atmosphere	Global warming potential of one molecule of the gas over 100 years (Relative to carbon dioxide=1)
Carbon dioxide	50-200 years*	1
Methane	12 years	21
Nitrous oxide	120 years	310
CFC-12	100 years	10,600
CFC-11	45 years	4,600
HFC-134a	14.6 years	1,300
Sulfur hexafluoride	3,200 years	23,900

\n\n

\n

- The order of most abundant GHGs in the Earth's atmosphere is Water vapor, Carbon dioxide, Methane, Nitrous oxide, Ozone, Chlorofluorocarbons.

\n

- **Methane is about 25 times more effective** in trapping the sun's radiation in our atmosphere than carbon dioxide, which is the dominant GHG.

\n

\n\n

What is the new finding?

\n\n

\n

- The new finding is important because small ponds play an huge role in the planet's carbon cycle, i.e., the balance between input and output of greenhouse gases.

\n

- The ponds are also responsible for about 40% of methane emissions from inland waters.

\n

- Findings show that warming fundamentally alters the carbon balance of small ponds over years, thereby reducing their capacity to absorb carbon dioxide and increasing emissions of methane.

\n

- This could ultimately accelerate climate change

\n

- This danger has been greatly overlooked.

\n

- Until now, the Intergovernmental Panel on Climate Change (IPCC) models do not take into account the amplification effects of warming on these aquatic ecosystems.

\n

\n\n

\n\n

Source: The Hindu

\n



IAS PARLIAMENT

Information is Empowering

A Shankar IAS Academy Initiative