



Transforming Urban Mobility - III

Click [here](#) for Part I and [here](#) Part II

\n\n

What is the issue?

\n\n

Urban commutes can be made more efficient by having a wide variety of travel modes and seamless connectivity.

\n\n

What should urban mobility focus on?

\n\n

\n

- **Heterogeneity** - A usable mobility framework must accommodate individual user needs.
- Travel duration and economics as well as factors like convenience, safety, and ambience influence a user's choice of modes and routes.
- Indian cities need main high-density corridors as well as lower density peripheral lines.
- Urban mobility architecture must, therefore, effectively include the widest heterogeneity of modes possible.
- Policies and regulations must increasingly embrace the vibrant innovation in mobility, in this regard.

\n

\n\n

\n

- **Connectivity** - As a journey's length increases, a commuter typically

traverses localities with different characteristics.

\n

- E.g. A suburban resident commuting to a city centre workplace travels through lower density suburbs and high-density city centre areas.

\n

- So after ensuring adequate heterogeneity, cities must address improving connectivity between travel modes.

\n

\n\n

What are the concerns in India?

\n\n

\n

- As in Europe, a lot of intra-city travel in India is over relatively short distances.

\n

- Yet Indian cities have been indifferent to pavements and bike lanes.

\n

- Personal transport (cars and two-wheelers) is increasing when mass transit investments have been slow.

\n

- In western cities, new app-hailed crowd-sourced van services are being widely encouraged.

\n

- But in India, the similar home-grown modes like share-autos are left to operate in unregulated fringes.

\n

- Also, neglect of connectivity causes many suburban commuters to use a sub-optimal mode for the entire journey.

\n

- This contributes to congestion and enduring unnecessary stress.

\n

\n\n

What could be done?

\n\n

\n

- **Connectivity** - Efficient connectivity gives rise to numerous combinations of modes and routes which may be enhanced by investing in physical infrastructure.

\n

\n\n

\n

- E.g. Singapore has convenient integrated transport hubs to allow easy multi-modal connections.

\n

- Ensuring variety of modes and seamless connectivity requires coordination among various transit authorities (metros, suburban rail, buses, etc.).

\n

- **Digital** - Increasingly, connectivity is also fostered through digital infrastructure.

\n

- E.g. London's Oyster "smart" card allows a commuter to move from one mode to another with minimal loss of time or effort.

\n

- The large number of travel apps are inexpensive to use and can work across travel modes.

\n

- Traffic delays, cost of travel and schedules can all be factored in selecting a mode or combination of modes.

\n

- Vehicles (trains, buses, cars, two-wheelers) can increasingly be connected and made "smart".

\n

- With 'smart city' investments, these add to the pool of information, allowing commuters to make intelligent choices.

\n

- **Policies** - All these necessitate a pivotal role for policies and regulations, guided by socially relevant tenets.

\n

- What is needed is a policy framework rather than independent solutions.

\n

- Policy framework must embrace objectives such as equity, inclusiveness, economics, space efficiency, environmental impact, and user convenience.

\n

- Policies need to be dynamically adjusted reflecting a fast-changing world, especially in regulating the new innovative modes to align them with safety and labour laws.

\n

- Personal transport modes could be made expensive.

\n

- E.g. in Singapore, users are obliged to pay for societal costs related to road-use, impact on air quality, and allocation of valuable real estate for parking

\n

- As India encounters urbanisation, it is imperative that urban mobility

architecture is steered to be an asset and not a liability.

\n

\n\n

\n\n

Source: BusinessLine

\n



IAS PARLIAMENT
Information is Empowering
A Shankar IAS Academy Initiative